

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	49284	"one to one" "one-to-one"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:31
L3	973	(map\$4 or match\$3 or group\$3 or relat\$3) near (class or classes) and 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:10
L4	0	3 and java and ".net"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:09
L5	29	3 and java and ?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:09
L6	85	("one to one" "one-to-one") near5 (map\$4 or match\$3 or group\$3 or relat\$3) near5 (class or classes)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:39
L7	53	("one to one" "one-to-one") near10 (proxy proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:32
L8	1	("one to one" "one-to-one") near5 class near5 (proxy proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:33
L9	1	("one to one" "one-to-one") near5 classes near5 (proxy proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:33
L10	13	("one to one" "one-to-one") near5 (class method function object) near5 (proxy proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:33
L11	26	("one to one" "one-to-one") near2 (map\$4 or match\$3 or group\$3 or relat\$3) near2 (class or classes)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:52
L12	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 18:43

EAST Search History

L13	0	"709313".ccs.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 18:43
L14	0	"709/313".ccs.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 18:45
L15	381	"717/162".ccs.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 18:49
S1	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/12/07 17:06
S2	7	(java j2ee) near5 (proxi\$3 bridg\$3) near5 ("net" microsoft remoting clr)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 12:31
S3	1932	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 20:07
S4	3	microsoft adj ?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:01
S5	299	"net" remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:02
S6	1932	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:13
S7	12	?net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:14
S8	5	net adj remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:14
S9	270	((one adj2 one) near2 map\$4) and prox\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:52

EAST Search History

S10	33	((one adj2 one) near2 map\$4) near5 (class\$2 interface?)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 14:53
S11	272	717/138-139.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:38
S12	529747	".net" remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:38
S13	299	remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:38
S14	62	remoting and net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:39
S15	49	net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:44
S16	24	(net adj remot\$3) and map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:44
S17	3585	(one adj2 one) near2 map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:45
S18	1	(net adj remot\$3) and ((one adj2 one) near2 map\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 19:45
S19	662	(719/313 719/330).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/05 20:07
S50	2495	(creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/15 12:15
S52	1	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/15 12:17

EAST Search History

S53	32	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/15 12:17
S54	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S55	7	(java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S56	2162	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S57	3	microsoft adj ?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S58	366	".net" remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S59	2162	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S60	12	?net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S61	14	net adj remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S62	342	((one adj2 one) near2 map\$4) and prox\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S63	40	((one adj2 one) near2 map\$4) near5 (class\$2 interface?)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S64	328	717/138-139.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27

EAST Search History

S65	578022	".net" remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S66	366	remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S67	96	remoting and net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S68	62	net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S69	31	(net adj remot\$3) and map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S70	4127	(one adj2 one) near2 map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S71	1	(net adj remot\$3) and ((one adj2 one) near2 map\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S72	757	(719/313 719/330).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/18 10:27
S73	2495	(creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/18 10:27
S74	1	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/18 10:27
S75	32	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/04/18 10:27
S76	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00

EAST Search History

S77	7	(java j2ee) near5 (proxi\$3 bridg\$3) near5 (".net" microsoft remoting clr)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S78	2333	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S79	3	microsoft adj ?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S80	421	".net" remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S81	2333	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S82	13	?net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S83	20	net adj remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S84	370	((one adj2 one) near2 map\$4) and prox\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S85	43	((one adj2 one) near2 map\$4) near5 (class\$2 interface?)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S86	351	717/138-139.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S87	607312	".net" remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S88	421	remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00

EAST Search History

S89	122	remoting and net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S90	70	net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S91	33	(net adj remot\$3) and map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S92	4481	(one adj2 one) near2 map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S93	1	(net adj remot\$3) and ((one adj2 one) near2 map\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S94	825	(719/313 719/330).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S95	2777	(creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S96	1	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S97	34	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S98	2333	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S99	421	".net" remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S100	2333	?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00

EAST Search History

S10 1	607312	".net" remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 2	421	remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 3	4481	(one adj2 one) near2 map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 4	2777	(creat\$3 or generat\$3 or build\$3) near5 (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S10 5	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 6	1	(net adj remot\$3) and ((one adj2 one) near2 map\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 7	1	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S10 8	7	(java j2ee) near5 (proxi\$3 bridg\$3) near5 (.net" microsoft remoting clr)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S10 9	3	microsoft adj ?net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 0	13	?net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 1	20	net adj remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 2	43	((one adj2 one) near2 map\$4) near5 (class\$2 interface?)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00

EAST Search History

S11 3	122	remoting and net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 4	70	net adj remot\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 5	33	(net adj remot\$3) and map\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 6	34	(creat\$3 or generat\$3 or build\$3) near5 ((optimiz\$5 or custom) near5 (proxy or proxies))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/14 14:00
S11 7	370	((one adj2 one) near2 map\$4) and prox\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 8	351	717/138-139.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S11 9	825	(719/313 719/330).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/09/14 14:00
S12 0	1	"20020143641".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/09/22 15:22
S12 1	0	broker near10 brokerless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:31
S12 2	8	broker same brokerless	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:43
S12 3	1	"5,870,605".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:38
S12 4	35	broker same (without "does not" "with out") adj broker	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:45

EAST Search History

S12 5	33	S124 not S122	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 06:57
S12 6	14	(static\$4 and dynamic\$4) near (proxy or proxies)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 07:00
S12 7	1	S126 and (one-to-one or one adj to adj one)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 07:22
S12 8	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 08:21
S12 9	1	"20020143641".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/06/12 08:21
S13 0	87	(one adj to adj one or one adj2 one) near3 (map\$4 or match\$3 or group\$3 or relat\$3) near3 (class or classes)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:22
S13 1	0	(map\$4 or match\$3 or group\$3 or relat\$3) near3 (java and ".net") near3 (class or classes)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 10:38
S13 6	1	"20030105883".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 10:38
S13 8	1	S136 and net	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 10:38
S13 9	1	(map\$4 or match\$3 or group\$3 or relat\$3) near3 (java and net) near3 (class or classes)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:07
S14 2	9921	net and microsoft	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 10:39
S14 3	48	net near remoting	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 10:39

EAST Search History

S14 5	1	S130 and S143	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 10:40
S14 6	1	"6704747".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:01
S14 7	10108	((map\$4 or match\$3 or group\$3 or relat\$3) near3 (class or classes)) and languages	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:08
S14 8	5433	((map\$4 or match\$3 or group\$3 or relat\$3) near (class or classes)) and languages	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:10
S15 3	46956	one-to-one	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:22
S15 5	913	((map\$4 or match\$3 or group\$3 or relat\$3) near (class or classes)) and one-to-one	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:27
S15 6	5	S155 and S143	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:24
S15 8	4	(map\$4 or match\$3 or group\$3 or relat\$3) near (class or classes) near one-to-one	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2006/08/21 11:26

[Google](#)**Advanced Search**[Advanced Search Tips](#) | [About Google](#)

Find results	with all of the words	<input type="text" value="'.net and java'"/>	<input type="text" value="50 results"/> <input type="button" value="Google Search"/>
	with the exact phrase	<input "="" type="text" value='"one to one mapping'/>	
	with at least one of the words	<input type="text"/>	
	without the words	<input type="text"/>	
Language	Return pages written in	<input type="text" value="any language"/>	
File Format	<input type="checkbox"/> Only <input type="checkbox"/> return results of the file format	<input type="text" value="any format"/>	
Date	Return web pages updated in the	<input type="text" value="anytime"/>	
Numeric Range	Return web pages containing numbers between	<input type="text"/> and <input type="text"/>	
Occurrences	Return results where my terms occur	<input type="text" value="anywhere in the page"/>	
Domain	<input type="checkbox"/> Only <input type="checkbox"/> return results from the site or domain	<input type="text" value="e.g. google.com, .org"/> More info	
Usage Rights	Return results that are	<input type="text" value="not filtered by license"/> More info	
SafeSearch	<input checked="" type="radio"/> No filtering <input type="radio"/> Filter using SafeSearch		

Page-Specific Search

Similar	Find pages similar to the page	<input type="text" value="e.g. www.google.com/help.html"/> <input type="button" value="Search"/>
Links	Find pages that link to the page	<input type="text"/> <input type="button" value="Search"/>

Topic-Specific Searches

[Google Book Search](#) - Search the full text of books
[New! Google Code Search](#) - Search public source code
[Google Scholar](#) - Search scholarly papers
[Google News archive search](#) - Search historical news

[Apple Macintosh](#) - Search for all things Mac
[BSD Unix](#) - Search web pages about the BSD operating system
[Linux](#) - Search all penguin-friendly pages
[Microsoft](#) - Search Microsoft-related pages

[U.S. Government](#) - Search all U.S. federal, state and local government sites
[Universities](#) - Search a specific school's website

©2006 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

".net and java" "one to one mapping"

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**

Results 1 - 27 of about 51 for ".net and java" "one to one mapping" . (0.60 seconds)

J-Integra For .NET Documentation**NET and Java.** J-Integra For .NET offers such enterprise companies the ability ... that there is a **one-to-one mapping** between the class and type hierarchy. ...j-integra.intrinsyc.com/support/net/doc/whnjs.htm - 2k - [Cached](#) - [Similar pages](#)The Generated Proxies APIThere is a direct **one-to-one mapping** between **NET and Java** classes. This means that Java proxies for the super classes and the implemented interfaces ...j-integra.intrinsyc.com/support/net/doc/api/proxyAPI.html - 8k - [Cached](#) - [Similar pages](#)

[More results from j-integra.intrinsyc.com]

Web services programming tips and tricks: Improve interoperability ...Because native data types and XSD data types do not share a **one-to-one mapping**, ... **NET and Java** technology can result in namespace conflicts, ...

www.ibm.com/developerworks/webservices/library/ws-tip-j2eenet1/ - 57k -

[Cached](#) - [Similar pages](#)On the Thought: November 2004**NET and Java** on the desktop · Destructors in GCed languages II ... so I always thought in terms of a **one-to-one mapping** between the book and the seminar. ...

onthethought.blogspot.com/2004_11_01_onthethought_archive.html - 29k -

[Cached](#) - [Similar pages](#)Visual Studio Magazine – First Looks – Turn Your .NET App Into Java**NET and Java** platforms make it impossible to perform strict **one-to-one mapping**.

For example, exceptions from the .NET platform are derived from the System. ...

www.ftponline.net/vsm/2005_09/magazine/departments/firstlooks/page2.aspx - 36k -

[Cached](#) - [Similar pages](#)Interoperability Technologies: Point to Point**NET and Java** assemblies require a single XML namespace for all types. ... means that there is a **one-to-one mapping** between the class and type hierarchy. ...msdn2.microsoft.com/en-us/library/ms978761.aspx - 112k - [Cached](#) - [Similar pages](#)The Fallacy of the Data LayerThis is not a **one-to-one mapping** between service method and stored procedure. ...**NET and Java.** Interoperability is no longer a luxury but a necessity. ...

www.theserverside.net/news/thread.tss?thread_id=30568 - 230k -

[Cached](#) - [Similar pages](#)Recharging Web Services Development**NET and Java** portlets; and on how easy it is to integrate developer can do asimple **one-to-one mapping** between a Java component and the Web service. ...www.developer.com/services/article.php/1107801 - 66k - [Cached](#) - [Similar pages](#)XML and Scripting Languages**NET and Java** portlets; and on how easy it is to integrate There is **one-to-one mapping** between XSLScript and XSLT instructions. ...www.developer.com/open/article.php/630241 - 64k - [Cached](#) - [Similar pages](#)

[More results from www.developer.com]

[PS] CS351 Spring 2005, Project 1 MoogleFile Format: Adobe PostScript - [View as Text](#)Note that to ensure the **one-to-one mapping**, URLs will have to be. canonicalized. ...

The designer MAY use the tools in java.net and java.swing.text.html ...

www.cs.unm.edu/~terran/downloads/classes/cs351-s05/projects/p1/p1spec.ps -

[Similar pages](#)[PPT] Title of Your PresentationFile Format: Microsoft Powerpoint - [View as HTML](#)

NET, and Java. Attendees should have exposure to Web services concepts and ...
One-to-one mapping between ReportCaster Web services and ReportCaster Java ...
www.informationbuilders.com/events/summit06/presentations/ES13.ppt -
[Similar pages](#)

EDUCAUSE REVIEW | March/April 2005, Volume 40, Number 2

... levels of sophistication preclude a **one-to-one mapping** between a given concept ...
NET, and Java's extensive built-in libraries) has made reusable data ...
www.educause.edu/apps/er/erm05/erm0521.asp - 73k - [Cached](#) - [Similar pages](#)

Servlets vs. Stateless Session Beans for Stateless Requests

NET and Java people will cooperate for the first time, as Rod pointed out "it is ... for
instance by enforcing a **one-to-one mapping** of objects to tables. ...
www.theserverside.com/news/thread.tss?thread_id=17805 - 492k -
[Cached](#) - [Similar pages](#)

Java in a Nutshell, Fourth Edition: Chapter 4: The Java Platform

(The java.io, java.net, and java.nio APIs for performing I/O operations are discussed
... and that there is **one-to-one mapping** between characters and bytes. ...
www.oreilly.de/catalog/javanut4/chapter/ - 206k - [Cached](#) - [Similar pages](#)

[PDF] Modelling programming language semantics using a common semantic model

File Format: PDF/Adobe Acrobat - [View as HTML](#)
NET and Java concepts that they relate. Chapter 4 identifies ... NET have a
one-to-one mapping onto Java . This mapping is represented as ...
www.cosc.canterbury.ac.nz/research/reports/HonsReps/2006/hons_0601.pdf -
[Similar pages](#)

Cover Pages: XML Articles and Papers September 2003

In other words, there must be a **one-to-one mapping** between the external and ... **Net**
and **Java**-based portal elements. Plumtree Software Inc. announced earlier ...
xml.coverpages.org/xmlPapers200309.html - 507k - [Cached](#) - [Similar pages](#)

VB6 as COBOL: The VB.NET Effect

NET, he would notice there is practically a **one to one mapping** of the keywords and
... **NET and Java** Help, AFTER Training. Architecture and Mentoring ...
www.newtechusa.com/Viewpoints/VBDotNetEffect.asp - 39k - [Cached](#) - [Similar pages](#)

IKVM.NET Weblog

... comment you're on the right track, there is no **one-to-one mapping** between
System. ... **NET and Java** exceptions is definitely something I'm aiming for. ...
weblog.ikvm.net/allentries.aspx - 952k - [Cached](#) - [Similar pages](#)

[PDF] IBM WebSphere and Microsoft .NET Interoperability

File Format: PDF/Adobe Acrobat
NET and Java. runtime environments can run in the same runtime environment or
different ... **One-to-one mapping** is not always possible ...
www.redbooks.ibm.com/redbooks/pdfs/sg246799.pdf - [Similar pages](#)

[PDF] AN EXPLORATORY ANALYSIS OF THE .NET COMPONENT MODEL AND UNIFRAME ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Provision for **one-to-one mapping** between the class and type hierarchy. Web ... **NET**
and **Java** interoperability. Some of the other mechanisms to achieve ...
www.cs.iupui.edu/uniFrame/pubs-openaccess/natasha.pdf - [Similar pages](#)

[PDF] Application Interoperability:

File Format: PDF/Adobe Acrobat
conjunction with XML Schemas to exchange data between **.NET and Java** in a ... for
type system fidelity, which means that there is a **one-to-one mapping** ...
download.microsoft.com/download/7/2/6/
7269f183-639a-4e99-bd84-cc3e6515af86/PnP_J2EE_Interop_V1.pdf - [Similar pages](#)

Steve Richards - Adventures in home working :: Desktop Computing

... There isn't a direct **one to one mapping** between every file I work on and ... **NET**
and **Java**. Internet Explorer itself falls into this category as it ...
steves.blogharbor.com/blog/IT/DesktopComputing - 161k - [Cached](#) - [Similar pages](#)

Steve Richards - Adventures in home working :: Information Management

... There isn't a direct **one to one mapping** between every file I work on and ... **NET**,

and Java continue to reduce the value proposition of the thick client. ...
steves.blogharbor.com/blog/IT/InformationManagement - 157k -
[Cached](#) - [Similar pages](#)
[[More results from steves.blogharbor.com](#)]

[PDF] [Product-Line Development for Mobile Device Applications with ...](#)

File Format: PDF/Adobe Acrobat

Case (a) is usually not very interesting because it supports only an **one-to-one mapping** ... Several modern general-purpose languages, e.g., **NET and Java**, ...
www.st.informatik.tu-darmstadt.de/database/publications/data/cepa-thesis.pdf?id=146
- [Similar pages](#)

[Microsoft Word - A01T.doc](#)

File Format: Unrecognized

NET and Java to a common XML Schema file, CustomerData.xsd. ... Support for type system fidelity, which means that there is a **one-to-one mapping** ...
www.netindonesia.net/Anggota/BestPractice/Downloads_GetFile.aspx?id=427 -
[Similar pages](#)

[PDF] [PDFlib 6 Reference Manual](#)

File Format: PDF/Adobe Acrobat

NET, and Java bindings. (default for other bindings: false). ... Instead of **one-to-one mapping**, the second element in each pair may be an option list ...
www.cgi.uni-regensburg.de/WWW_Server/
Dokumentation/PDFlib/PDFlib-manual-6_02.pdf - [Similar pages](#)

[PDF] [TEAMFLY](#)

File Format: PDF/Adobe Acrobat

NET and Java. The MDA will provide standard mappings to help tools ... There need not be a **one-to-one mapping** between a subsystem interface ...
e-books.amagrammer.net/UML%20&%20소프트웨어공학/
Real-Time%20Design%20Patterns%20-%20Robust%20S... - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 27 already displayed.

If you like, you can [repeat the search with the omitted results included](#).

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Google](#)**Advanced Search**[Advanced Search Tips](#) | [About Google](#)

Find results	with all of the words	<input type="text" value=".net java"/>	<input type="text" value="50 results"/>	<input type="button" value="Google Search"/>
	with the exact phrase	<input type="text" value="one to one"/>		
	with at least one of the words	<input type="text" value="map mapping match matchin"/>		
	without the words	<input type="text"/>		
Language	Return pages written in	<input type="text" value="any language"/>		
File Format	<input type="checkbox"/> Only <input type="checkbox"/> return results of the file format	<input type="text" value="any format"/>		
Date	Return web pages updated in the	<input type="text" value="anytime"/>		
Numeric Range	Return web pages containing numbers between	<input type="text"/>	and	<input type="text"/>
Occurrences	Return results where my terms occur	<input type="text" value="anywhere in the page"/>		
Domain	<input type="checkbox"/> Only <input type="checkbox"/> return results from the site or domain	<input type="text" value="e.g. google.com, .org"/> More info		
Usage Rights	Return results that are	<input type="text" value="not filtered by license"/> More info		
SafeSearch	<input checked="" type="radio"/> No filtering <input type="radio"/> Filter using SafeSearch			

Page-Specific Search

Similar	Find pages similar to the page	<input type="text" value="e.g. www.google.com/help.html"/>	<input type="button" value="Search"/>
Links	Find pages that link to the page	<input type="text"/>	<input type="button" value="Search"/>

Topic-Specific Searches

[Google Book Search](#) - Search the full text of books
[New! Google Code Search](#) - Search public source code
[Google Scholar](#) - Search scholarly papers
[Google News archive search](#) - Search historical news

[Apple Macintosh](#) - Search for all things Mac
[BSD Unix](#) - Search web pages about the BSD operating system
[Linux](#) - Search all penguin-friendly pages
[Microsoft](#) - Search Microsoft-related pages

[U.S. Government](#) - Search all U.S. federal, state and local government sites
[Universities](#) - Search a specific school's website

©2006 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 50 of about 351,000 for **.net java map OR mapping OR match OR matching OR group OR grouping "one to one"**. (0.66 seconds)

[Computing Reviews](#), the leading online review service for computing ...

Service matching in agent systems: Applied Intelligence ... Geronimo is an open source application server for the Java 2 Platform, Enterprise Edition (J2EE) ...

www.reviews.com/ - 41k - [Cached](#) - [Similar pages](#)

[OpenSymphony - Welcome To OpenSymphony](#)

The Quartz team of the OpenSymphony group is proud to announce the official release of ... Previously, you could only map alias level mapping to a sub index ...

www.opensymphony.com/ - 27k - [Cached](#) - [Similar pages](#)

[Mark Lam's Blog: The BIG Picture: a Map of CVM](#)

Map of CVM Data Structures Click on the map to get a popup window with a 1024 x 768 res ... There is a one-to-one mapping between the ee and the java.lang. ...

weblogs.java.net/blog/mlam/archive/2006/11/the_big_picture.html - 26k -

[Cached](#) - [Similar pages](#)

[Chet Haase's Blog](#)

Chet Haase Chet is an architect in the Java Client Group at Sun Microsystems. ... it overshoots the mapping area and the map path is 75% of the drawn path. ...

weblogs.java.net/blog/chet/ - 72k - [Cached](#) - [Similar pages](#)

[[More results from weblogs.java.net](#)]

[ONJava.com -- Java vs. .NET Security, Part 4](#)

Java and .NET security models and APIs compared side-by-side. ... NET applications map user requests to the Session objects, with their timeouts (in ...

www.onjava.com/pub/a/onjava/2004/02/25/javavsdotnet.html - 34k - Dec 5, 2006 -

[Cached](#) - [Similar pages](#)

[ONJava.com -- Hibernate 3 Formulas](#)

Hibernate 3.x pushes this to another level by enhancing mapping ... one-to-one , element , many-to-many , map-key , map-key-many-to-many , and property ...

www.onjava.com/pub/a/onjava/2005/08/03/hibernate.html - 32k - Dec 6, 2006 -

[Cached](#) - [Similar pages](#)

[[More results from www.onjava.com](#)]

[java.net: More Persistence for Client-Side Developers](#)

The simplest kind of relationship is a one-to-one mapping. ... In addition to List s, the Persistence API also supports Set s, Map s, and general Collection ...

today.java.net/pub/a/today/2006/06/08/

more-ejb3-persistence-api-for-client-side-developer.html - 41k - [Cached](#) - [Similar pages](#)

[java.net: Juggling JOGL](#)

OpenGL coordinates don't necessarily map one-to-one with on-screen pixel ... To exercise this mapping, please check out the ballbounce.tar.gz sample code ...

today.java.net/pub/a/today/2004/03/18/jogl-2d-animation.html - 23k -

[Cached](#) - [Similar pages](#)

[[More results from today.java.net](#)]

[thogau.net - Tutorial : Hibernate mapping with xdoclet](#)

Long property for the persisted ID and a java.util.String property. I will refer to those classes ... @hibernate.one-to-one class="net.thogau.website.model. ...

www.thogau.net/tutorials/pojo/tutorial04-01.jsp - 26k - [Cached](#) - [Similar pages](#)

[java.net Forums](#)

I'm not sure I follow you - isn't this the correct way to map a bi-directional one-to-one relationship? How else would I do it? ...

forums.java.net/jive/thread.jspa?messageID=171860 - 28k - [Cached](#) - [Similar pages](#)

[hibernate mapping dtd](#)

DOCTYPE hibernate-mapping PUBLIC "-//Hibernate/Hibernate Mapping DTD 2.0/EN" "http://hibernate.sourceforge.net/hibernate-mapping-2.0.dtd"> An instance of ...

hibernate.sourceforge.net/hibernate-mapping-2.0.dtd - 26k - [Cached](#) - [Similar pages](#)

[hibernate mapping 3.0 dtd](#)

ATTLIST component node CDATA #IMPLIED> <!-- A dynamic-component maps columns of the database entity to a java.util.Map at the Java level --> <!-- ...

hibernate.sourceforge.net/hibernate-mapping-3.0.dtd - 45k - [Cached](#) - [Similar pages](#)

[ProcessBuilder \(Java Platform SE 6 b104\)](#)

Returns a string map view of this process builder's environment. ... there may not be a

one-to-one mapping between them and Java's Unicode strings. ...
download.java.net/jdk6/docs/api/java/lang/ProcessBuilder.html - 37k -
[Cached](#) - [Similar pages](#)

The Richmond Post: XUL Titan Interview: Son To (of Sulu fame) - Part I
Not all xul tags map one to one to Swing components, ... but since there isn't a one to one mapping from Mozilla XUL to Swing components, not all tags are ...
xul.sourceforge.net/post/2004/06/xul_titan_interview_son_to_of_sulu_fame_part_i.html
- 13k - [Cached](#) - [Similar pages](#)

Overview of GrFinger SDK - ActiveX (OCX) / DLL / Applet / Java ...
NET, FoxPro and many others. GrFinger SDK offers a fast matching speed of up ...
when you want just to capture fingerprints, but do not want to match them. ...
www.componentsource.com/products/517403/20156/index.html - 24k -
[Cached](#) - [Similar pages](#)

CS683: Doc 29, One-to-One Mapping
Emerging Technology Fall Semester, 2004 One-to-One Mapping ... package cs683;
import java.util.List; import net.sf.hibernate. ...
www.eli.sdsu.edu/courses/fall04/cs683/notes/oneone/oneone.html - 18k -
[Cached](#) - [Similar pages](#)

Java vs C#
Having a one to one mapping between types and the file system is simpler ... NET
class libraries are missing from the standard. When Java gets new APIs, ...
www.veridicus.com/tummy/programming/java_vs_csharp.asp - 21k -
[Cached](#) - [Similar pages](#)

www.gpgpu.org :: View topic - First port of HelloGPU GLSL (C++) to ...
import java.awt.BorderLayout; import java.awt.Dimension; import java.awt.Frame; ...
We need a one-to-one mapping of pixels to texels in order to ...
www.gpgpu.org/forums/viewtopic.php?t=1719&start=0&postdays=0&postorder=asc&highlight= - 54k - [Cached](#) - [Similar pages](#)

J-Integra For .NET Documentation
NET components from any type of Java object. Mix and match your Web ... which
means that there is a one-to-one mapping between the class and type hierarchy. ...
j-integra.intrinsyc.com/support/net/doc/whnjs.htm - 2k - [Cached](#) - [Similar pages](#)

Object-relation mapping without the container
Hibernate uses XML (*.hbm.xml) files to map Java classes to tables and JavaBeans ...
class="net.sf.hibernate.Examples.Group" */ public Group getGroup() { ...
www.ibm.com/developerworks/java/library/j-hibern/ - 71k - [Cached](#) - [Similar pages](#)

Web services programming tips and tricks: Improve interoperability ...
NET and WebSphere. Because native data types and XSD data types do not share a
one-to-one mapping, information or precision can be lost during the ...
www.ibm.com/developerworks/webservices/library/ws-tip-j2ee-net1/ - 57k -
[Cached](#) - [Similar pages](#)

Java – The Java Advantage for Web Services
However, there is no clear one-to-one mapping between different implementations.
One implementation may take a Java date and map that to a datetime instance ...
www.ftponline.com/channels/java/2005_05/akolawa_05_11_05/default_pf.aspx - 23k -
[Cached](#) - [Similar pages](#)

glassfish: GlassFish - Java Persistence API FAQ
Otherwise, you should use <mapping-file> element in the persistence.xml file. ... Refer
to https://glassfish.dev.java.net/issues/show_bug.cgi?id=353 for ...
https://glassfish.dev.java.net/javaee5/persistence/persistence_faq.html - 54k -
[Cached](#) - [Similar pages](#)

One-to-One with David Chappell:: Swiss .NET User Group
NET, Windows 2000, Windows XP, Visual Studio, Microsoft .NET, Visual Studio .NET,
C#, J# and Visual Basic are trademarks of Microsoft Corporation. Java is a ...
www.dotmugs.ch/events/event.aspx?eid=43 - 11k - [Cached](#) - [Similar pages](#)

XSLT:Blog[@author = 'M. David Peterson']/Main: [Announce] IKVM.NET ...
NET, the Java/.NET interoperability picture becomes "MUCH" more clear, ... Note that
due to the object model mapping issues there is no one-to-one ...
www.xsltblog.com/archives/2006/01/announce_ikvmne.html - 22k -
[Cached](#) - [Similar pages](#)

XSLT:Blog[@author = 'M. David Peterson']/Main: Java VM for .NET ...
Note that due to the object model mapping issues there is no one-to-one
correspondence from ... NET Weblog | version 0.18 of the IKVM.NET Java VM for ...
www.xsltblog.com/archives/java_vm_for_net_platform/index.html - 44k -
[Cached](#) - [Similar pages](#)

Hydrate Cookbook

Hydrate is designed for flexibility in mapping arbitrary relational schemas to your chosen ... and you are trying to map this to and from Java objects, ...
hydrate.sourceforge.net/ - 17k - [Cached](#) - [Similar pages](#)

Sun Community Champions at the 2006 JavaOne Conference

Thursday evening found me back at the java.net booth to do the SDN ... but that hasn't stopped this group: discussions continue on the mailing lists, ...
developers.sun.com/champions/javaone2006.html - 27k - [Cached](#) - [Similar pages](#)

Griaule GrFinger Fingerprint SDK Biometric SDK, Fingerprint ...

Outstanding fingerprint matching speed: with a blazing fast matching speed up ...
NET, Yes, Java, No support or Additional fee, No support or Additional fee ...
www.griaule.com/page/en-us/grfinger_sdk?origem=index - 33k - [Cached](#) - [Similar pages](#)

[doc] Migrating UNIX and Other Applications to .NET

File Format: Microsoft Word - [View as HTML](#)
User Name Mapping can obtain UNIX user, password, and group information from one ... user map, users in a Windows domain are implicitly mapped one-to-one to ...
download.microsoft.com/download/9/c/8/9c8fb14b-da3c-462e-a8e9-ca26b0b50824/MigUNIX.doc - [Similar pages](#)

Hibernate Training

Define object relationships and build mapping documents to model them. ... Build Java applications that use Hibernate to create, retrieve, update, ...
www.webucator.com/Java/HIB118.cfm - 20k - [Cached](#) - [Similar pages](#)

Code Generation Network - SoproMach Java Pre-processor

Tjpp distinguishes between Java programmers that write the code and Java programmers that read the code, relieving the first group from the tedious work, ...
www.codegeneration.net/tiki-read_article.php?articleId=29 - 32k - [Cached](#) - [Similar pages](#)

APHELION JREs (JavaTM Runtime Environments) Each Aphelion JRE ...

Each Aphelion JRE (Java Runtime Environment) is a software middleware that ... LLGL, and one-to-one mapping from SWT widgets to graphical functions of LLGL. ...
www.apogee.com/jre.html - 26k - [Cached](#) - [Similar pages](#)

BitTorrent FAQ and Guide

Azureus - A full-featured Java BitTorrent client with many enhancements and ... Connection Sharing), this article on mapping ports might be useful. ...
dessent.net/btfaq/ - 111k - [Cached](#) - [Similar pages](#)

IKVM.NET Weblog - Q & A

Having said that, in your comment you're on the right track, there is no one-to-one mapping between System.Type instances and java.lang.Class instances. ...
weblog.ikvm.net/CommentView.aspx?guid=01588455-4115-4f66-b5d0-0f5c19b630fb - 33k - [Cached](#) - [Similar pages](#)

Jaxor | Model Driven Persistence

Then the Jaxor task can be used to convert the mapping files into the associated ... is packaged in the source code in net.sourceforge.jaxor.example.users ...
jaxor.sourceforge.net/ - 25k - [Cached](#) - [Similar pages](#)

TWiki . Jxta . PipeBasics

Suppose you wish to create a group chat application. You flick through the Jxta documentation and see that most pipes are for one-to-one communication. ...
wiki.java.net/bin/view/Jxta/PipeBasics - 19k - [Cached](#) - [Similar pages](#)

Erik's Linkblog

New data released by the NPD Group found that during its product launch, ... Axiomatic Multi-Platform C 1.5.4 (AMPC) is a C to Java class file compiler ...
erik.thauvin.net/linkblog/ - 78k - [Cached](#) - [Similar pages](#)

[PDF] .NET and Java: A Study in Interoperability

File Format: PDF/Adobe Acrobat - [View as HTML](#)
from schema definitions first, and build object definitions to match against that. Both .NET and Java have libraries and/or specifications to deal with ...
www.theserverside.net/tt/articles/content/Interoperability/Neward_Interoperability.pdf - [Similar pages](#)

whisperim: Whisper IM secure Jabber instant messaging client home

The Source for Java Technology Collaboration ... All standard instant messaging features (messages, one to one chat, group chat, ... XML java.net RSS ...
<https://whisperim.dev.java.net/> - 17k - [Cached](#) - [Similar pages](#)

The Blog Ride - The Vietnam of Computer Science

NET 3.0 and the acceptance of the Java Persistence API as a replacement for ...

(one-to-one, one-to-many, many-to-one, many-to-many), and an O/R mapping has ...
blogs.tedneward.com/2006/06/26/The+Vietnam+Of+Computer+Science.aspx - 107k -
[Cached](#) - [Similar pages](#)

POM Object Creation - Ash Rofail

NET XML, System.XML ... The POM object members mapping to the entities on the '1'
end of this ... When the one-to-one relationship to Details was found, ...
www.topxml.com/conference/wrox/1999_dc/text/ashdata_object.asp - 25k -
[Cached](#) - [Similar pages](#)

Hibernate Forums - View topic - invalid mapping The content of ...

Caused by: net.sf.hibernate.MappingException: invalid mapping ... (property|many-
to-one|one-to-one|component|dynamic-component|any|map|set|list|bag|idbag| ...
forum.hibernate.org/viewtopic.php?t=947616&
highlight=&sid=875697e07eded5b7872ee7d9fea7c543 - 44k - [Cached](#) - [Similar pages](#)

TinyOS Community Forum II Blogs

Using WSN for many to one and one to one connection type ... at
java.net.PlainSocketImpl.doConnect(PlainSocketImpl.java:305) at
java.net.PlainSocketImpl. ...
www.tinyos.net/scoop/section/Diary - 63k - [Cached](#) - [Similar pages](#)

Sun Microsystems-Reality Check

This type of mapping allows .NET to substantially support most of the languages, but
completely support only those languages which map one to one to ...
www.sun.com/executives/realitycheck/reality-031303.html - 30k -
[Cached](#) - [Similar pages](#)

[PDF] Turn Your .NET App Into Java

File Format: PDF/Adobe Acrobat
sible to perform strict one-to-one mapping. For example, exceptions. from the .NET
platform are ... NET Apps to Java. Mainsoft's Visual MainWin lets Visual ...
www.mainsoft.com/news/articles/vsmag_sept05.pdf - [Similar pages](#)

Banish Your Resistance to Persistence with the EJB 3.0 Persistence API

The music store domain illustrates more complex mapping scenarios including ... In
Java, a one-to-one relationship is simply a reference to an entity. ...
www.devx.com/Java/Article/30161/0/page/4 - 99k - [Cached](#) - [Similar pages](#)

net.sf.hibernate.type (Hibernate API Documentation)

Type, Defines a mapping from a Java type to an JDBC datatype. ... CharBooleanType,
Superclass for types that map Java boolean to SQL CHAR(1). ...
www.dil.univ-mrs.fr/~massat/docs/hibernate-2/
api/net/sf/hibernate/type/package-summary.html - 23k - [Cached](#) - [Similar pages](#)

Does J2EE live up to expectations? - Program - Java C C++ - Builder AU

Sun Microsystems touts the Java 2 Enterprise Edition (J2EE) as "the standard for ...
data members of the EJB must map one-to-one with columns in a table. ...
www.builder.au.com.au/program/java/soa/Does_
J2EE_live_up_to_expectations_0,339024620,320267973,00.htm - 45k - Dec 6, 2006 -
[Cached](#) - [Similar pages](#)

Make the Java-Oracle9i connection - Java World

This ability to map Java objects directly to Oracle objects, ... Whether your design
involves a one-to-one mapping of Oracle types to tables or a more ...
www.javaworld.com/javaworld/jw-06-2003/jw-0613-oracle9i.html - 46k -
[Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Google](#)**Advanced Search**[Advanced Search Tips](#) | [About Google](#)

Find results	with all of the words	<input type="text" value=".net java"/>	<input type="text" value="50 results"/> <input type="button" value="Google Search"/>
	with the exact phrase	<input type="text" value="one to one mapping"/>	
	with at least one of the words	<input type="text"/>	
	without the words	<input type="text"/>	
Language	Return pages written in	<input type="text" value="any language"/>	
File Format	<input type="text" value="Only"/> return results of the file format	<input type="text" value="any format"/>	
Date	Return web pages updated in the	<input type="text" value="anytime"/>	
Numeric Range	Return web pages containing numbers between	<input type="text"/> and <input type="text"/>	
Occurrences	Return results where my terms occur	<input type="text" value="anywhere in the page"/>	
Domain	<input type="text" value="Only"/> return results from the site or domain	<input type="text" value="e.g. google.com, .org"/> More info	
Usage Rights	Return results that are	<input type="text" value="not filtered by license"/> More info	
SafeSearch	<input checked="" type="radio"/> No filtering <input type="radio"/> Filter using SafeSearch		

Page-Specific Search

Similar	Find pages similar to the page	<input type="text" value="e.g. www.google.com/help.html"/> <input type="button" value="Search"/>
Links	Find pages that link to the page	<input type="text"/> <input type="button" value="Search"/>

Topic-Specific Searches

[Google Book Search](#) - Search the full text of books
 New! [Google Code Search](#) - Search public source code
[Google Scholar](#) - Search scholarly papers
[Google News archive search](#) - Search historical news

[Apple Macintosh](#) - Search for all things Mac
[BSD Unix](#) - Search web pages about the BSD operating system
[Linux](#) - Search all penguin-friendly pages
[Microsoft](#) - Search Microsoft-related pages

[U.S. Government](#) - Search all U.S. federal, state and local government sites
[Universities](#) - Search a specific school's website

©2006 Google

[Sign in](#)

Google [Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)
 [Advanced Search](#)
[Preferences](#)

Web

Results 1 - 50 of about 45,600 for **.net java "one to one mapping"**. (0.29 seconds)

[java.net: More Persistence for Client-Side Developers](#)

The simplest kind of relationship is a **one-to-one mapping**. ... View all **java.net** Articles. The whole address book app, GUI and persistence, in four hours. ...
[today.java.net/pub/a/today/2006/06/08/more-ejb3-persistence-api-for-client-side-developer.html](#) - 41k -
[Cached](#) - [Similar pages](#)

[Java.net - the Source for Java\(tm\) Technology Collaboration](#)

Java Persistence provides many ways to customize your properties. ... The simplest kind of relationship is a **one-to-one mapping**. ... XML **java.net** RSS ...
[today.java.net/lpt/a/295](#) - 28k - [Cached](#) - [Similar pages](#)
[\[More results from today.java.net \]](#)

[Java vs C#](#)

Having a **one to one mapping** between types and the file system is simpler ... **NET** class libraries are missing from the standard. When **Java** gets new APIs, ...
[www.veridicus.com/tummy/programming/java_vs_csharp.asp](#) - 21k -
[Cached](#) - [Similar pages](#)

[CS683: Doc 29, One-to-One Mapping](#)

Emerging Technology Fall Semester, 2004 **One-to-One Mapping** ... package cs683;
import **java.util.List**; import **net.sf.hibernate**. ...
[www.eli.sdsu.edu/courses/fall04/cs683/notes/oneone/oneone.html](#) - 18k -
[Cached](#) - [Similar pages](#)

[\[PDF\] CS 683 Emerging Technologies Fall Semester, 2004 Doc 29 One-to-One ...](#)
File Format: PDF/Adobe Acrobat - [View as HTML](#)
Doc 29 **One-to-One Mapping** slide # 8. Main.**java**. package cs683;. import
java.util.List;. import **net.sf.hibernate.HibernateException**;. import **net.sf.hibernate** ...
[www.eli.sdsu.edu/courses/fall04/cs683/notes/oneone/oneone.pdf](#) - [Similar pages](#)

[Mark Lam's Blog: The BIG Picture: a Map of CVM](#)

There is a **one-to-one mapping** between the ee and the **java.lang**. ... In CVM, each **Java** thread has 2 physical stacks: a native stack, ... XML **java.net** RSS ...
[weblogs.java.net/blog/mlam/archive/2006/11/the_big_picture.html](#) - 26k -
[Cached](#) - [Similar pages](#)

[Editor's Daily Blog: Closer to the Heart](#)

Registered users can submit news items for the **java.net** News Page using our ...
Also, once this page is no longer featured as the front page of **java.net** it ...
[weblogs.java.net/blog/editors/archives/2006/05/closer_to_the_h.html](#) - 25k -
[Cached](#) - [Similar pages](#)
[\[More results from weblogs.java.net \]](#)

[The Richmond Post: XUL Titan Interview: Son To \(of Sulu fame\) - Part I](#)

Q: Can you tell us some challenges you faced building Sulu using **Java** and 'Swing'? ...
This technique worked well when there's a **one to one mapping** between ...
[xul.sourceforge.net/post/2004/06/xul_titan_interview_son_to_of_sulu_fame_part_i.html](#) - 13k - [Cached](#) - [Similar pages](#)

[J-Integra For .NET Documentation](#)

NET and **Java**. J-Integra For **.NET** offers such enterprise companies the ability ... that there is a **one-to-one mapping** between the class and type hierarchy. ...
[j-integra.intrinsyc.com/support/net/doc/whnjs.htm](#) - 2k - [Cached](#) - [Similar pages](#)

[www.gpgpu.org :: View topic - First port of HelloGPU GLSL \(C++\) to ...](#)

... GLSL version to **Java** using jogl ([https://jogl.dev.java.net/](#)) and the porting is pretty ...
We need a **one-to-one mapping** of pixels to texels in order to ...
[www.gpgpu.org/forums/viewtopic.php?t=1719&start=0&postdays=0&postorder=asc&highlight=](#) - 54k - [Cached](#) - [Similar pages](#)

ProcessBuilder (Java Platform SE 6 b104)

Since the external format of environment variable names and values is system-dependent, there may not be a **one-to-one mapping** between them and Java's ...

download java.net/jdk6/docs/api/java/lang/ProcessBuilder.html - 37k -

[Cached](#) - [Similar pages](#)

RowSorter (Java Platform SE 6 b104)

`java.lang.Object` extended by `javax.swing.RowSorter<M>` ... RowSorter implementations typically don't have a **one-to-one mapping** with the underlying model, ...

download java.net/jdk6/docs/api/javax/swing/RowSorter.html - 37k -

[Cached](#) - [Similar pages](#)

APHELION JREs (Java™ Runtime Environments) Each Aphelion JRE ...

The Java Secure Socket Extension (JSSE) package comprised of J2SE `java.net`, `javax.net`, `javax.net.ssl`, and `javax.security.cert` sub-packages. ...

www.apogee.com/jre.html - 26k - [Cached](#) - [Similar pages](#)

IKVM.NET Weblog - Q & A

... in your comment you're on the right track, there is no **one-to-one mapping** between System. ... namespace in .NET. In other words, a Java class `cli.Foo`. ...

weblog.ikvm.net/CommentView.aspx?guid=01588455-4115-4f66-b5d0-0f5c19b630fb - 33k - [Cached](#) - [Similar pages](#)

[PDF] Turn Your .NET App Into Java

File Format: PDF/Adobe Acrobat

sible to perform strict **one-to-one mapping**. For example, exceptions. from the .NET platform areNET Apps to Java. Mainsoft's Visual MainWin lets Visual ...

www.mainsoft.com/news/articles/vsmag_sept05.pdf - [Similar pages](#)

Java – The Java Advantage for Web Services

Let's look at the strengths that Java has over .Net and address some of ... However, there is no clear **one-to-one mapping** between different implementations. ...

www.ftponline.com/channels/java/2005_05/akolawa_05_11_05/default_pf.aspx - 23k -

[Cached](#) - [Similar pages](#)

Web services programming tips and tricks: Improve interoperability ...

.NET and WebSphere. Because native data types and XSD data types do not share a **one-to-one mapping**, information or precision can be lost during the ...

www.ibm.com/developerworks/webservices/library/ws-tip-j2eenet1/ - 57k -

[Cached](#) - [Similar pages](#)

Web services programming tips and tricks: Improve the ...

.NET and WebSphere. Consider the Java Web service method in Listing 6. ... A **one-to-one mapping** is not available between native data types and XSD data types ...

www.ibm.com/developerworks/java/library/ws-tip-j2eenet2.html - 53k -

[Cached](#) - [Similar pages](#)

InfoQ: Agile Asset Management with Ruby DSLs

Sponsored Links. Article: Java and .NET Key Integration Scenarios by ... Also, there isn't the same **one-to-one mapping** between method definitions and ...

www.infoq.com/articles/Agile-Asset-Management - 51k - [Cached](#) - [Similar pages](#)

Chat Transcript: Getting High Performance from Your Desktop Client

Scott Violet: Having a **one-to-one mapping** between source and action will ...

JavaGeek: How closely are you working with the projects on dev.java.net? ...

java.sun.com/developer/community/chat/JavaLive/2005/jl0215.html - 51k -

[Cached](#) - [Similar pages](#)

Leveraging Existing Native Libraries

One-to-one mapping and shared stubs are both techniques for wrapping native ... internally to implement the `java.io`, `java.net`, and `java.awt` packages. ...

java.sun.com/docs/books/jni/html/stubs.html - 57k - [Cached](#) - [Similar pages](#)

[[More results from java.sun.com](#)]

Make the Java-Oracle9i connection - Java World

Net or even comment on the merits of its architecture; our goal is to draw ... Whether your design involves a **one-to-one mapping** of Oracle types to tables ...
www.javaworld.com/javaworld/jw-06-2003/jw-0613-oracle9i.html - 46k -
[Cached](#) - [Similar pages](#)

Java Tip 92: Use the JVM Profiler Interface for accurate timing ...
Fortunately, Java 2's Java Virtual Machine Profiler Interface (JVMPi) provides the correct ... where a thread is akin to a process (**one-to-one mapping**). ...
www.javaworld.com/javaworld/jvatiptip92.html - 35k -
[Cached](#) - [Similar pages](#)
[[More results from www.javaworld.com](#)]

substance: Substance look and feel - themes
The Source for Java Technology Collaboration ... so there is no **one-to-one mapping** chart that defines all the uses of a certain color. ... XML [java.net RSS](#) ...
<https://substance.dev.java.net/docs/themes.html> - 31k - [Cached](#) - [Similar pages](#)

java.net Forums
Home » [java.net Forums](#) » Communications » Mobicents Contributors ... SIP implementation that allows **one-to-one mapping** > between providers and listeners. ...
forums.java.net/jive/thread.jspa?messageID=128685 - 64k - [Cached](#) - [Similar pages](#)

java.net Forums
... and as such there isn't necessarily a **one-to-one mapping** between coordinates (integer or ... <http://forums.java.net/jive/thread.jspa?messageID=116601> ...
forums.java.net/jive/thread.jspa?threadID=15602 - 46k - [Cached](#) - [Similar pages](#)
[[More results from forums.java.net](#)]

Optimizing NET Compilers for Improved Java Performance
NET translates java bytecode to optimize native machine code. ... hand-translated to Java source code, staying as close as possible to a **one-to-one mapping**. ...
doi.ieeecomputersociety.org/10.1109/2.587551 - [Similar pages](#)

XML.com: Why XML is Meant for Java?
If we assume a simple **one-to-one mapping** between elements and Java classes, ... load it over the Net if necessary, and create an instance. ...
www.xml.com/pub/a/1999/06/fuchs/fuchs.html - 32k - [Cached](#) - [Similar pages](#)

Forte to Java Migration
There are architecture components that don't have a **one-to-one mapping** and will ... NET and Forte to Java migration services. Please visit our website at: ...
swforums.sun.com/jive/thread.jspa?threadID=15423 - 45k - [Cached](#) - [Similar pages](#)

Introduction - Web Services Interoperability between J2EE and .NET ...
But due to the implementation difference in the underlying technologies (Java™ 2 Platform, Enterprise Edition (J2EE) technology versus Microsoft® .NET) ...
www.developerfusion.co.uk/show/4707/ - 17k - [Cached](#) - [Similar pages](#)

Introduction - Web Services Interoperability between J2EE and .NET ...
Because native data types and XSD data types do not share a **one-to-one mapping**, ... NET and Java technology can result in namespace conflicts, ...
www.developerfusion.co.uk/show/4694/ - 19k - [Cached](#) - [Similar pages](#)
[[More results from www.developerfusion.co.uk](#)]

public virtual MemoryStream: Unified Data Access For .NET? .NOT ...
Luke Hutteman on Java, .NET, J2EE, RSS and whatever else comes to mind. ... factory takes a "type" parameter which has a **one-to-one mapping** to this class. ...
www.hutteman.com/weblog/2003/11/19-143.html - 19k - [Cached](#) - [Similar pages](#)

JYaml - Yaml library for the Java language
Note that the transfer mapping must be a **one-to-one mapping**. ... I welcome suggestions and bug reports to airportyh@users.sourceforge.net.
yaml.sourceforge.net/tutorial.html - 11k - [Cached](#) - [Similar pages](#)

CA*net 4 - UCLP on CA*net 4
Client GUI of University of Ottawa - Communications Research Centre's UCLP that connects CA*net 4 is launched via the Java Web Start software, ...
www.canarie.ca/canet4/uclp/uclponc4.html - 15k - [Cached](#) - [Similar pages](#)

Explaining integration II

The confusion factor is that there is not a **one to one mapping** between requirements ... **NET, Java** and EAI questions. Couldn't attend one of our Webcasts? ...
searchwebservices.techtarget.com/originalContent/0,289142,sid26_gci950706,00.html
- 56k - [Cached](#) - [Similar pages](#)

Eclipse casts shadows

Eclipse's SWT, by contrast, encapsulates the native OS transparently, using a **one-to-one mapping** from **Java** to C. That means Eclipse's JFace layer can more ...
www.infoworld.com/articles/pl/xml/02/06/17/020617pleclipse.html?Template=/storypages/printfriendly.html - [Similar pages](#)

Hibernate Forums - View topic - Limitations of <one-to-one> mapping

Unfortunately if I understand the hibernate **<one-to-one> mapping** correctly it works by ... at **net.sf.hibernate.engine.Cascade**\$3.cascade(Cascade.java:81) ...
forum.hibernate.org/viewtopic.php?t=200&sid=204b0c33ef4b7e4a16cb7c98e04d0dda
- 32k - [Cached](#) - [Similar pages](#)

OpenLink Virtuoso: Open-Source Edition: Main.VOSDBFAQ

Virtuoso can extend SQL by import **Java** and **.net** classes and functions as well as ...
For a **one-to-one mapping** between a foreign key relation in SQL and tree ...
virtuoso.openlinksw.com/wiki/main/Main/VOSDBFAQ - 26k - [Cached](#) - [Similar pages](#)

Pragmatic Architecture: Layering

He is an authority in **Java** and **.NET** technologies, particularly in the areas of **Java/.NET** integration (both in-process and by way of integration tools like ...
msdn2.microsoft.com/en-us/aa905336.aspx - 26k - [Cached](#) - [Similar pages](#)

Ramakrishnan TopLink

A team of **Java** developers is attempting to solve the persistence issue on ... many different operations: **one-to-one mapping**, one-to-many, many-to-many. ...
www.oracle.com/technology/oramag/webcolumns/2003/opinion/ramakrishnan_toplink.html - 81k - [Cached](#) - [Similar pages](#)

Oracle9iAS TopLink By Example

The form includes fields to capture the name of the **Java** Database Connectivity ... In a **one-to-one mapping**, the source is the table that contains the object ...
www.oracle.com/technology/oramag/webcolumns/2003/techarticles/pepperdine_TopLink.html - 77k - [Cached](#) - [Similar pages](#)

Value Added Approach For Creating Web Services Controls

However, simply creating a **one to one mapping** from a control to an existing web service is often not enough. ... **setEndPoint(new java.net. ...**
dev2dev.bea.com/pub/a/2004/03/wlw_wsc.html - 41k - [Cached](#) - [Similar pages](#)

The Road to MSBuild « notgartner

NET developers, the heavy **Java** dependencies of Ant didn't necessarily sit ... I'm not sure if its a **one-to-one mapping** but it does tweak these settings in ...
notgartner.com/posts/1573.aspx - 35k - [Cached](#) - [Similar pages](#)

Dali Object-Relational Mapping Tool Advanced Tutorial

https://jaserverfaces.dev.java.net/ ... Use a **One-to-One Mapping** to define a relationship from an attribute to another class, with one-to-one multiplicity ...
www.eclipse.org/dali/docs/tutorial/jsf/dali_jsf_tutorial.htm - 53k - [Cached](#) - [Similar pages](#)

[PPT] Gartner Day

File Format: Microsoft Powerpoint - [View as HTML](#)
xsi:type="toplink:one-to-one-mapping"> ... Map **Java** objects to database using Mapping Workbench; Write queries using Mapping Workbench; Output: XML metadata ...
aosd.net/2005/archive/TopLink_AOSD_2005.ppt - [Similar pages](#)

Edif2XilinxName

... value is an EdifObject (EdifNet or EdifCellInstance). This is a **one to one mapping**.
... public static **java.util.ArrayList** getAllNetNames(EdifNet net, ...
reliability.ee.byu.edu/edif/codeDoc/release_0.2.2/
byucc/edif/libraries/xilinx/Edif2XilinxName.html - 35k - [Cached](#) - [Similar pages](#)

RE: [ObjectWeb architecture] just an idea for (Java) native ...

If we think only in a OO perspective, one could imagine a **one-to-one mapping** on **Java** and **OCaml** features. * Possible problem(s) : - I don't think that OCaml ...
mail-archive.objectweb.org/architecture/2003-09/msg00033.html - 16k -
[Cached](#) - [Similar pages](#)

DevPointer: games

Read the user guide available in Resources to get started.
http://www.devpointer.net/redirect.php?id=1383 Third-party products that extend the **Java** language ...
www.devpointer.net/browse.php?l=g&t1=11&fmt=rss1 - 12k - [Cached](#) - [Similar pages](#)

Re: .net to Java plugin (Re: 11 Reasons Why .NET Will Fail)

Re: .net to Java plugin (Re: 11 Reasons Why .NET Will Fail) ... exist a **one-to-one mapping** between a class in one library to the other. The ...
schestowitz.com/UseNet/2006/May_2006_2/msg00084.html - 10k -
[Cached](#) - [Similar pages](#)

OpenLink Universal Integration Middleware - Virtuoso Product ...

The Java and .net clients are pure **Java** and **.Net** respectively. ... For a **one-to-one mapping** between a foreign key relation in SQL and tree hierarchy in XML, ...
www.openlinksw.com/virtuoso/overview/datamanager/FAQ/index.htm - 33k -
[Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Google](#)**Advanced Search**[Advanced Search Tips](#) | [About Google](#)

Find results	with all of the words	<input type="text"/>	<input type="button" value="50 results"/> <input type="button" value="Google Search"/>
	with the exact phrase	<input type="text"/>	
	with at least one of the words	<input type="text"/>	
	without the words	<input type="text"/>	
Language	Return pages written in	<input type="text" value="any language"/>	
File Format	<input type="text" value="Only"/> return results of the file format	<input type="text" value="any format"/>	
Date	Return web pages updated in the	<input type="text" value="anytime"/>	
Numeric Range	Return web pages containing numbers between	<input type="text"/> and <input type="text"/>	
Occurrences	Return results where my terms occur	<input type="text" value="anywhere in the page"/>	
Domain	<input type="text" value="Only"/> return results from the site or domain	<input type="text" value="e.g. google.com, .org"/> More info	
Usage Rights	Return results that are	<input type="text" value="not filtered by license"/> More info	
SafeSearch	<input checked="" type="radio"/> No filtering <input type="radio"/> Filter using SafeSearch		

Page-Specific Search

Similar	Find pages similar to the page	<input type="text" value="e.g. www.google.com/help.html"/> <input type="button" value="Search"/>
Links	Find pages that link to the page	<input type="text"/> <input type="button" value="Search"/>

Topic-Specific Searches

[Google Book Search](#) - Search the full text of books
[New! Google Code Search](#) - Search public source code
[Google Scholar](#) - Search scholarly papers
[Google News archive search](#) - Search historical news

[Apple Macintosh](#) - Search for all things Mac
[BSD Unix](#) - Search web pages about the BSD operating system
[Linux](#) - Search all penguin-friendly pages
[Microsoft](#) - Search Microsoft-related pages

[U.S. Government](#) - Search all U.S. federal, state and local government sites
[Universities](#) - Search a specific school's website

©2006 Google

[Sign in](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"one to one mapping between java and .net"

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web

Tip: Try removing quotes from your search to get more results.

Your search - **"one to one mapping between java and .net"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Google](#)**Advanced Search**[Advanced Search Tips](#) | [About Google](#)

Find results	with all of the words with the exact phrase with at least one of the words without the words	<input type="text"/> <input type="text"/> one to one mapping between <input type="text"/> <input type="text"/>	<input type="text"/> 50 results	<input type="button" value="Google Search"/>
Language	Return pages written in	<input type="text"/> any language		
File Format	<input type="text"/> Only <input type="text"/> return results of the file format	<input type="text"/> any format		
Date	Return web pages updated in the	<input type="text"/> anytime		
Numeric Range	Return web pages containing numbers between	<input type="text"/>	and	<input type="text"/>
Occurrences	Return results where my terms occur	<input type="text"/> anywhere in the page		
Domain	<input type="text"/> Only <input type="text"/> return results from the site or domain	<input type="text"/> e.g. google.com, .org More info		
Usage Rights	Return results that are	<input type="text"/> not filtered by license More info		
SafeSearch	<input checked="" type="radio"/> No filtering <input type="radio"/> Filter using SafeSearch			

Page-Specific Search

Similar	Find pages similar to the page	<input type="text"/> <input type="button" value="Search"/>
		e.g. www.google.com/help.html
Links	Find pages that link to the page	<input type="text"/> <input type="button" value="Search"/>

Topic-Specific Searches

[Google Book Search](#) - Search the full text of books
 New! [Google Code Search](#) - Search public source code
[Google Scholar](#) - Search scholarly papers
[Google News archive search](#) - Search historical news

[Apple Macintosh](#) - Search for all things Mac
[BSD Unix](#) - Search web pages about the BSD operating system
[Linux](#) - Search all penguin-friendly pages
[Microsoft](#) - Search Microsoft-related pages

[U.S. Government](#) - Search all U.S. federal, state and local government sites
[Universities](#) - Search a specific school's website

©2006 Google

[Sign in](#)

[Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

"one to one mapping between .net and java"

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web

Tip: Try removing quotes from your search to get more results.

Your search - **"one to one mapping between .net and java"** - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google